

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	EPN	12	((TFP thin ad) & transistor\$2) and (organic) near 1 (electroluminescence EL)) and (seal\$1)) and (capacitor)	EPN; JPO; 2002/07/05 EPKERN 23:42 JP			
2	EPN	6	((TFP thin ad) & transistor\$2) and (organic) near 1 (electroluminescence EL)) and (seal\$1)) and (capacitor)	EPKERN; 2002/07/05 JPO-EPN 23:39 JP			
3	EPN	13	((TFP thin ad) & transistor\$2) and (metal conductor or electrode wiring)) same(connect\$4 comp1\$4)	EPKERN; 2002/07/05 JPO-EPN 23:46 JP			
4	EPN	14	insulate\$4 oxide\$2 electrode\$2 near 20 capacitor\$2) and 1	EPKERN; 2002/07/05 JPO-EPN 23:51 JP			
5	EPN	15	TFP thin ad conductor (connect\$4) and 1 (conductor) and (electrode or electrode) luminescence EL) and 4	EPKERN; 2002/07/05 JPO-EPN 23:53 JP			
6	EPN	16	conductor and 1	EPKERN; 2002/07/05 JPO-EPN 23:53 JP			
7	EPN	17	((TFP thin ad) & transistor\$2) and (metal conductor or electrode wiring)) and (connect\$4 comp1\$4)	EPN; JPO; 2002/07/05 EPKERN 23:45 JP			



	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
17	BK1	117	16	(( (first and second) (oppos\$4) and)2 (substrato) ) and 16	FIQ; JPO; 2002/07/05 PERMEN23:07 T			
18	BK1	118	12	17 not 9	FIQ; JPO; 2002/07/05 PERMEN23:07 T			